


CM1

COMPONENTS

Component Mounting Clamps

Inch

CM1



Tolerances

.XX ±.016

.XXX ±.005

Suffix	Material	Finish
A	Aluminum 2024-T351	Chromic Acid Anodize
S	Stainless Steel 303	Clear Passivate

Part Number	Suffix	HT	TH
CM1-1506.020	A S	.020	.065
CM1-1508.040	S	.040	.085
CM1-1509.040	S	.040	.095
CM1-1509.047	A S	.047	.095
CM1-1509.050	A S	.050	.095
CM1-1516.115	A S	.115	.160
CM1-1516.118	A S	.118	.163
CM1-1518.135	S	.135	.180
CM1-1522.175	A S	.175	.220
CM1-1523.197	A S	.197	.236



CM2

COMPONENTS

Component Mounting Clamps

Inch

CM2



Tolerances

.XX ±.016

.XXX ±.005

Suffix	Material	Finish
A	Aluminum 2024-T351	Chromic Acid Anodize
S	Stainless Steel 303	Clear Passivate
F	Stainless Steel 416	Clear Passivate

Part Number	Suffix	HT	TH	OD	CF	HB	ID
CM2-1209.055	S	.055	.095	.250	.125	.187	.094
CM2-1212.086	S	.086	.125	.250	.125	.187	.094
CM2-1810.052	A S F	.052	.100	.375	.187	.250	.128
CM2-1811.063	S F	.063	.113	.375	.187	.250	.128
CM2-1813.081	A S F	.081	.131	.375	.187	.250	.128
CM2-1816.109	A S F	.109	.160	.375	.187	.250	.128
CM2-1816.112	S F	.112	.162	.375	.187	.250	.128
CM2-1819.143	S F	.143	.193	.375	.187	.250	.128
CM2-1826.213	S F	.213	.263	.375	.187	.250	.128
CM2-1828.238	A S F	.238	.288	.375	.187	.250	.128
CM2-2010.052	S	.052	.106	.404	.202	.280	.152
CM2-2015.070	S	.070	.152	.404	.202	.280	.152
CM2-2015.085	S	.085	.152	.404	.202	.280	.152

CM3

COMPONENTS

Component Mounting Clamps

Inch


CM3



Type 1



Type 2



Tolerances

.XX ±.016

.XXX ±.005

Suffix	Material	Finish
A	Aluminum 2024-T351	Chromic Acid Anodize
S	Stainless Steel 303	Clear Passivate
S2	Stainless Steel 302	Clear Passivate
D	Aluminum 2024-T351	Alodine


Part Number	Suffix	Type	HT	TH	RF	CF	HB	ID
CM3-1509.047	A S S2	1	.047	.093	.044	.156	.190	.128
CM3-1510.052	D	1	.052	.102	.044	.156	.190	.104
CM3-1511.078	A	1	.078	.113	.044	.156	.190	.128
CM3-1511.078	S	1	.078	.115	.044	.156	.190	.128
CM3-1515.110	A S	1	.110	.156	.044	.156	.190	.128
CM3-1516.114	D	1	.114	.164	.044	.156	.190	.104
CM3-1518.142	S	1	.142	.185	.044	.156	.190	.104
CM3-1527.210	A S	1	.210	.272	.044	.156	.190	.128
CM3-1609.052	D	1	.052	.094	.460	.160	.196	.116
CM3-1610.052	D	1	.052	.102	.346	.160	.196	.104
CM3-1616.114	D	1	.114	.164	.346	.160	.196	.104
CM3-1709.052	D	1	.052	.094	.657	.175	.190	.116
CM3-1714.081	S	1	.081	.147	.657	.171	.190	.104
CM3-1714.081	S2	1	.081	.147	.657	.171	.190	.113
CM3-2004.000	A S2	2	0	.040	.620	.200	0	.128

CM4

COMPONENTS

Component Mounting Clamps Inch

CM4



Tolerances

.XX $\pm .016$

.XXX $\pm .005$

Suffix	Material	Finish
S	Stainless Steel 303	Clear Passivate
F	Stainless Steel 416	Clear Passivate

Part Number	Suffix	HT	TH	LE	WI	FL	CF	ID
CM4-1210.056	S F	.056	.104	.203	.156	.047	.125	.104
CM4-1218.122	S F	.122	.187	.203	.156	.047	.125	.104
CM4-1711.078	S F	.078	.118	.328	.218	.062	.172	.125
CM4-1812.078	S F	.078	.123	.375	.312	.078	.182	.125


CM5

COMPONENTS

Component Mounting Clamps

Inch

CM5



TYPE
1



TYPE
2

Tolerances

.XX ±.016

.XXX ±.005

Part Number	Suffix	Type	HT	TH	OD	CF	HB	ID
CM5-1004.000	A S	2	0	.045	.187	.105	0	.103
CM5-1504.000	A S	2	0	.045	.250	.156	0	.127
CM5-1500.057	S	1	.057	.092	.250	.156	.180	.099
CM5-1512.088	S	1	.088	.115	.250	.156	.180	.099
CM5-1513.104	S	1	.104	.156	.250	.156	.180	.099
CM5-1515.117	S	1	.117	.152	.250	.156	.180	.099
CM5-2104.000	A S	2	0	.045	.310	.217	0	.127
CM5-2404.000	A S	2	0	.045	.370	.247	0	.127

Suffix	Material	Finish
A	Aluminum 2024-T351	Chromic Acid Anodize
S	Stainless Steel 303	Clear Passivate



CM9

COMPONENTS

Component Mounting Clamps

Inch

CM9

TYPE
1TYPE
2

Tolerances

.XX $\pm .016$.XXX $\pm .005$

Part Number	Suffix	Type	HT	TH
CM9-1704.000	S2	2	0	.042
CM9-1708.047	S2	1	.047	.089
CM9-1712.078	S2	1	.078	.120
CM9-1715.110	S2	1	.110	.152
CM9-1718.141	S2	1	.141	.183

Suffix	Material	Finish
S2	Stainless Steel 302	Clear Passivate