


GS

DOWEL PINS


Dowel Pins - Ball Bearing Toleranced

Precision Ground - 303 Stainless Steel - Inch

GS



Diameter
+.0000
-.0002



Length	Diameter					
	0.1247 +.0000/-.0002	0.1872 +.0000/-.0002	0.2497 +.0000/-.0002	0.3122 +.0000/-.0002	0.3747 +.0000/-.0002	0.4997 +.0000/-.0002
1.000	GS1247-10	GS1872-10	GS2497-10			
1.125	GS1247-11	GS1872-11	GS2497-11			
1.250	GS1247-12	GS1872-12	GS2497-12			
1.375	GS1247-13	GS1872-13	GS2497-13	GS3122-13		
1.500	GS1247-15	GS1872-15	GS2497-15	GS3122-15		
1.625	GS1247-16	GS1872-16	GS2497-16	GS3122-16		
1.750	GS1247-17	GS1872-17	GS2497-17	GS3122-17		
1.875	GS1247-18	GS1872-18	GS2497-18	GS3122-18	GS3747-18	
2.000	GS1247-20	GS1872-20	GS2497-20	GS3122-20	GS3747-20	GS4997-20
2.125			GS2497-21	GS3122-21	GS3747-21	GS4997-21
2.250			GS2497-22	GS3122-22	GS3747-22	GS4997-22
2.375			GS2497-23	GS3122-23	GS3747-23	GS4997-23
2.500			GS2497-25	GS3122-25	GS3747-25	GS4997-25
2.625					GS3747-26	GS4997-26
2.750					GS3747-27	GS4997-27
2.875					GS3747-28	GS4997-28
3.000					GS3747-30	GS4997-30

Longer lengths of Ball Bearing Toleranced pins are IN STOCK, see SHAFTING.

Special sizes and materials are available, please ask.

ondrives.us

1-888-260-7466

516-771-6444

sales@ondrivesus.com

www.ondrivesus.com



DP

DOWEL PINS

PRECISION - Slip Fit

303 Stainless Steel - Inch

DP



Inch - 303 Stainless Steel - Slip Fit

All dimensions in inches

Length L	Diameter D +.0000/-0.0002											
	.0313	.0626	.0781	.0938	.1251	.1562	.1875	.2187	.2500	.3125	.3750	.5000
3/32	DP2-093	DP3-093	----	DP4-093	DP5-093	DP8-093	----	----	----	----	----	----
1/8	DP2-125	DP3-125	DP7-125	DP4-125	DP5-125	DP8-125	----	----	----	----	----	----
5/32	DP2-156	DP3-156	DP7-156	DP4-156	DP5-156	DP8-156	----	----	----	----	----	----
3/16	DP2-187	DP3-187	DP7-187	DP4-187	DP5-187	DP8-187	DP9-187	----	----	----	----	----
7/32	DP2-218	DP3-218	----	DP4-218	DP5-218	DP8-218	----	----	----	----	----	----
1/4	DP2-250	DP3-250	DP7-250	DP4-250	DP5-250	DP8-250	DP9-250	----	----	----	----	----
5/16	DP2-312	DP3-312	DP7-312	DP4-312	DP5-312	DP8-312	DP9-312	DP10-312	----	----	----	----
3/8	DP2-375	DP3-375	DP7-375	DP4-375	DP5-375	DP8-375	DP9-375	DP10-375	DP11-375	DP12-375	----	----
7/16	DP2-437	DP3-437	DP7-437	DP4-437	DP5-437	DP8-437	DP9-437	DP10-437	DP11-437	DP12-437	----	----
1/2	DP2-500	DP3-500	DP7-500	DP4-500	DP5-500	DP8-500	DP9-500	DP10-500	DP11-500	DP12-500	----	----
5/8	DP2-625	DP3-625	DP7-625	DP4-625	DP5-625	DP8-625	DP9-625	DP10-625	DP11-625	DP12-625	DP13-625	----
3/4	DP2-750	DP3-750	----	DP4-750	DP5-750	DP8-750	DP9-750	DP10-750	DP11-750	DP12-750	DP13-750	DP14-750
7/8	DP2-875	DP3-875	----	DP4-875	DP5-875	DP8-875	DP9-875	DP10-875	DP11-875	DP12-875	DP13-875	DP14-875
1	DP2-1000	DP3-1000	----	DP4-1000	DP5-1000	DP8-1000	DP9-1000	DP10-1000	DP11-1000	DP12-1000	DP13-1000	DP14-1000
1-1/4	----	DP3-1250	----	DP4-1250	DP5-1250	----	----	----	DP11-1250	DP12-1250	DP13-1250	DP14-1250
1-1/2	----	---	----	----	----	----	----	----	DP11-1500	DP12-1500	DP13-1500	DP14-1500
1-3/4	----	---	----	----	----	----	----	----	DP11-1750	DP12-1750	DP13-1750	DP14-1750
2	----	---	----	----	----	----	----	----	DP11-2000	DP12-2000	DP13-2000	DP14-2000

3D CAD Models available and Product Parameter Search on our website at www.Ondrives.US
ondrives.us

 1-888-260-7466
 516-771-6444

 sales@ondrivesus.com
 www.ondrives.us



DP

DOWEL PINS

PRECISION - Interference Fit

303 Stainless Steel - Inch

DP



Inch - 303 Stainless Steel - Interference Fit

All dimensions in inches

Length L	Diameter D +.0000/-0.0002										
	.0315	.0628	.0783	.0940	.1253	.1564	.1877	.2502	.3127	.3752	.5002
3/32	DP40-093	DP41-093	---	DP43-093	---	---	---	---	---	---	---
1/8	DP40-125	DP41-125	---	DP43-125	DP44-125	---	---	---	---	---	---
5/32	DP40-156	DP41-156	DP42-156	DP43-156	DP44-156	---	---	---	---	---	---
3/16	DP40-187	DP41-187	DP42-187	DP43-187	DP44-187	DP45-187	DP46-187	---	---	---	---
7/32	DP40-218	DP41-218	---	DP43-218	DP44-218	---	---	---	---	---	---
1/4	DP40-250	DP41-250	DP42-250	DP43-250	DP44-250	DP45-250	DP46-250	---	---	---	---
5/16	DP40-312	DP41-312	DP42-312	DP43-312	DP44-312	DP45-312	DP46-312	---	---	---	---
3/8	DP40-375	DP41-375	DP42-375	DP43-375	DP44-375	DP45-375	DP46-375	DP47-375	---	---	---
7/16	DP40-437	DP41-437	---	DP43-437	DP44-437	DP45-437	DP46-437	DP47-437	---	---	---
1/2	DP40-500	DP41-500	---	DP43-500	DP44-500	DP45-500	DP46-500	DP47-500	DP48-500	---	---
5/8	DP40-625	DP41-625	---	DP43-625	DP44-625	DP45-625	DP46-625	DP47-625	---	---	---
3/4	DP40-750	DP41-750	---	DP43-750	DP44-750	---	DP46-750	DP47-750	DP48-750	DP49-750	DP50-750
7/8	DP40-875	DP41-875	---	DP43-875	DP44-875	---	DP46-875	DP47-875	---	---	---
1	DP40-1000	DP41-1000	---	DP43-1000	DP44-1000	---	DP46-1000	DP47-1000	DP48-1000	DP49-1000	DP50-1000
1-1/8	---	---	---	---	DP44-1125	---	DP46-1125	---	---	---	---
1-1/4	---	---	---	---	---	---	DP46-1250	DP47-1250	DP48-1250	DP49-1250	---
1-1/2	---	---	---	---	---	---	DP46-1500	DP47-1500	----	----	----

3D CAD Models available and Product Parameter Search on our website at www.Ondrives.US
ondrives.us

 1-888-260-7466
 516-771-6444

 sales@ondrivesus.com
 www.ondrives.us


DPM

DOWEL PINS

PRECISION - Interference Fit

300 Stainless Steel - Metric

DPM



Metric - 300 Stainless Steel - ISO 2338A:1997 - Interference Fit

All dimensions in millimeters

Length L	Diameter D - m6 Tolerances											
	+0.008 +0.002	+0.008 +0.002	+0.008 +0.002	+0.008 +0.002	+0.008 +0.002	+0.008 +0.002	+0.012 +0.004	+0.012 +0.004	+0.012 +0.004	+0.015 +0.006	+0.015 +0.006	+0.018 +0.007
	0.8mm	1.0mm	1.5mm	2.0mm	2.5mm	3.0mm	4.0mm	5.0mm	6.0mm	8.0mm	10.0mm	12.0mm
4mm	DP0.8-4	DP1.0-4	DP1.5-4	DP2.0-4	DP2.5-4	DP3.0-4	----	----	----	----	----	----
5mm	DP0.8-5	DP1.0-5	DP1.5-5	DP2.0-5	DP2.5-5	DP3.0-5	DP4.0-5	----	----	----	----	----
6mm	DP0.8-6	DP1.0-6	DP1.5-6	DP2.0-6	DP2.5-6	DP3.0-6	DP4.0-6	DP5.0-6	DP6.0-6	----	----	----
8mm	DP0.8-8	DP1.0-8	DP1.5-8	DP2.0-8	DP2.5-8	DP3.0-8	DP4.0-8	DP5.0-8	DP6.0-8	DP8.0-8	----	----
10mm	DP0.8-10	DP1.0-10	DP1.5-10	DP2.0-10	DP2.5-10	DP3.0-10	DP4.0-10	DP5.0-10	DP6.0-10	DP8.0-10	DP10.0-10	----
12mm	DP0.8-12	DP1.0-12	DP1.5-12	DP2.0-12	DP2.5-12	DP3.0-12	DP4.0-12	DP5.0-12	DP6.0-12	DP8.0-12	DP10.0-12	----
14mm	----	----	DP1.5-14	DP2.0-14	DP2.5-14	DP3.0-14	DP4.0-14	DP5.0-14	DP6.0-14	DP8.0-14	DP10.0-14	DP12.0-14
16mm	----	----	DP1.5-16	DP2.0-16	DP2.5-16	DP3.0-16	DP4.0-16	DP5.0-16	DP6.0-16	DP8.0-16	DP10.0-16	DP12.0-16
18mm	----	----	----	DP2.0-18	DP2.5-18	DP3.0-18	DP4.0-18	DP5.0-18	DP6.0-18	DP8.0-18	DP10.0-18	DP12.0-18
20mm	----	----	----	DP2.0-20	DP2.5-20	DP3.0-20	DP4.0-20	DP5.0-20	DP6.0-20	DP8.0-20	DP10.0-20	DP12.0-20
24mm	----	----	----	DP2.0-24	DP2.5-24	DP3.0-24	DP4.0-24	DP5.0-24	DP6.0-24	DP8.0-24	DP10.0-24	DP12.0-24
28mm	----	----	----	----	----	DP3.0-28	DP4.0-28	DP5.0-28	DP6.0-28	DP8.0-28	DP10.0-28	DP12.0-28
30mm	----	----	----	----	----	DP3.0-30	DP4.0-30	DP5.0-30	DP6.0-30	DP8.0-30	DP10.0-30	DP12.0-30
32mm	----	----	----	----	----	----	DP4.0-32	DP5.0-32	DP6.0-32	DP8.0-32	DP10.0-32	DP12.0-32
36mm	----	----	----	----	----	----	DP4.0-36	DP5.0-36	DP6.0-36	DP8.0-36	DP10.0-36	DP12.0-36
40mm	----	----	----	----	----	----	DP4.0-40	DP5.0-40	DP6.0-40	DP8.0-40	DP10.0-40	DP12.0-40
45mm	----	----	----	----	----	----	DP4.0-45	DP5.0-45	DP6.0-45	DP8.0-45	DP10.0-45	DP12.0-45
50mm	----	----	----	----	----	----	DP4.0-50	DP5.0-50	DP6.0-50	DP8.0-50	DP10.0-50	DP12.0-50
55mm	----	----	----	----	----	----	----	DP5.0-55	DP6.0-55	DP8.0-55	DP10.0-55	DP12.0-55
60mm	----	----	----	----	----	----	----	DP5.0-60	DP6.0-60	DP8.0-60	DP10.0-60	DP12.0-60
70mm	----	----	----	----	----	----	----	----	----	DP8.0-70	DP10.0-70	DP12.0-70
80mm	----	----	----	----	----	----	----	----	----	DP8.0-80	DP10.0-80	DP12.0-80
90mm	----	----	----	----	----	----	----	----	----	----	DP10.0-90	DP12.0-90
100mm	----	----	----	----	----	----	----	----	----	----	DP10.0-100	DP12.0-100

3D CAD Models available and Product Parameter Search on our website at www.Ondrives.US

ondrives.us

1-888-260-7466
516-771-6444

sales@ondrivesus.com
www.ondrives.us


DPM

DOWEL PINS

PRECISION - Interference Fit

303 Stainless Steel - Metric - DIN 6325

DPM



Metric - 303 Stainless Steel - Interference Fit

All dimensions in millimeters

Length L	Diameter D - Diameter Tolerances											
	+0.009 +0.002	+0.009 +0.002	+0.009 +0.002	+0.009 +0.002	+0.012 +0.004	+0.012 +0.004	+0.012 +0.004	+0.015 +0.006	+0.015 +0.006	+0.015 +0.006	+0.018 +0.007	
	1mm C=0.15	1,5mm C=0.23	2mm C=0.30	2,5mm C=0.40	3mm C=0.45	4mm C=0.60	5mm C=0.75	6mm C=0.90	8mm C=1.20	10mm C=1.50	12mm C=1.80	
3mm	DPM160-3	----	----	----	----	----	----	----	----	----	----	----
4mm	DPM160-4	DPM161-4	DPM162-4	DPM163-4	DPM164-4	----	----	----	----	----	----	----
5mm	DPM160-5	DPM161-5	DPM162-5	DPM163-5	DPM164-5	DPM165-5	DPM166-5	----	----	----	----	----
6mm	DPM160-6	DPM161-6	DPM162-6	DPM163-6	DPM164-6	DPM165-6	DPM166-6	DPM167-6	----	----	----	----
8mm	DPM160-8	DPM161-8	DPM162-8	DPM163-8	DPM164-8	DPM165-8	DPM166-8	DPM167-8	----	----	----	----
10mm	DPM160-10	DPM161-10	DPM162-10	DPM163-10	DPM164-10	DPM165-10	DPM166-10	DPM167-10	----	----	----	----
12mm	DPM160-12	DPM161-12	DPM162-12	DPM163-12	DPM164-12	DPM165-12	DPM166-12	DPM167-12	DPM168-12	----	----	----
14mm	----	DPM161-14	DPM162-14	DPM163-14	DPM164-14	DPM165-14	DPM166-14	DPM167-14	DPM168-14	DPM169-14	----	----
16mm	----	DPM161-16	DPM162-16	DPM163-16	DPM164-16	DPM165-16	DPM166-16	DPM167-16	DPM168-16	DPM169-16	----	----
18mm	----	----	DPM162-18	DPM163-18	DPM164-18	DPM165-18	DPM166-18	DPM167-18	DPM168-18	DPM169-18	DPM170-18	----
20mm	----	----	DPM162-20	DPM163-20	DPM164-20	DPM165-20	DPM166-20	DPM167-20	DPM168-20	DPM169-20	DPM170-20	----
24mm	----	----	----	DPM163-24	DPM164-24	DPM165-24	DPM166-24	DPM167-24	DPM168-24	DPM169-24	DPM170-24	----
28mm	----	----	----	----	DPM164-28	DPM165-28	DPM166-28	DPM167-28	DPM168-28	DPM169-28	DPM170-28	----
32mm	----	----	----	----	----	----	----	----	DPM168-32	DPM169-32	DPM170-32	----
36mm	----	----	----	----	----	----	----	----	----	DPM169-36	DPM170-36	----
40mm	----	----	----	----	----	----	----	----	----	DPM169-40	DPM170-40	----
50mm	----	----	----	----	----	----	----	----	----	----	DPM170-50	----

3D CAD Models available and Product Parameter Search on our website at www.Ondrives.US
ondrives.us

 1-888-260-7466
 516-771-6444

 sales@ondrivesus.com
 www.ondrives.us