





Delrin / Stainless Hub

Hub-less
(Stainless, Aluminum,
Delrin)

Choose **ondrives** to make your gears because you get:

- Standard, Custom gears & worms quickly made - We beat prices and you get on time delivery always. You can trust us to help you! Gears up to 14" in diameter.
- Expert engineering assistance - We have designed many products with gears, worms, and sprockets. We know what we are doing.
- We make the gears for our gearboxes - Custom and standards. We know how to use gears, not just make them.
- Quick delivery on 10 to 5,000 gears - Standards 1 week if blank stock, 2-3 otherwise. Customs in 2-4 weeks.
- Materials of all kinds - 303, Aluminum, Brass, Bronze, Acetal, Hytrel®, Nylon, PEEK®, Polyurethane, Phenolic and other materials
- Precision AGMA 10-12 cut gears - In virtually any material.
- Prototypes (1-10) for custom gears - First article approval if needed
- Rapid quotes! Call us at 1-888-260-7466 - Available for RFQs.


SGP-XD
24 Pitch

GEARS

SGP-XD
24 Pitch

24 Pitch Precision Spur Gears - Split Hub

Delrin Gear with Stainless Hub, AGMA Quality 10, 20° Pressure Angle



Part Number		No. of Teeth	Pitch Dia. PD	Outside Dia. OD
0.1873 Bore 0.188 Face 0.500 HD 0.438 OAL #6-32 Screw	0.2498 Bore 0.188 Face 0.500 HD 0.438 OAL #6-32 Screw			
SG24P21XD-15	SG24P28XD-15	15	0.6250	0.708
SG24P21XD-16	SG24P28XD-16	16	0.6667	0.750
SG24P21XD-18	SG24P28XD-18	18	0.7500	0.833
SG24P21XD-20	SG24P28XD-20	20	0.8333	0.917
SG24P21XD-22	SG24P28XD-22	22	0.9167	1.000
SG24P21XD-24	SG24P28XD-24	24	1.0000	1.083
SG24P21XD-25	SG24P28XD-25	25	1.0417	1.125
SG24P21XD-28	SG24P28XD-28	28	1.1666	1.250
SG24P21XD-30	SG24P28XD-30	30	1.2500	1.333
SG24P21XD-32	SG24P28XD-32	32	1.3333	1.417
SG24P21XD-35	SG24P28XD-35	35	1.4583	1.542
SG24P21XD-36	SG24P28XD-36	36	1.5000	1.583
SG24P21XD-40	SG24P28XD-40	40	1.6667	1.750
SG24P21XD-42	SG24P28XD-42	42	1.7500	1.833
SG24P21XD-45	SG24P28XD-45	45	1.8750	1.958
SG24P21XD-48	SG24P28XD-48	48	2.0000	2.083
SG24P21XD-50	SG24P28XD-50	50	2.0833	2.167
SG24P21XD-55	SG24P28XD-55	55	2.2917	2.375
SG24P21XD-60	SG24P28XD-60	60	2.5000	2.583
SG24P21XD-70	SG24P28XD-70	70	2.9167	3.000
SG24P21XD-80	SG24P28XD-80	80	3.3333	3.417
SG24P21XD-84	SG24P28XD-84	84	3.5000	3.583
SG24P21XD-90	SG24P28XD-90	90	3.7500	3.833

Materials:

Delrin gear with 303 Stainless Steel hub.

On Request:

14-1/2° Pressure Angle - additional number of teeth.

Customized or custom versions can be produced with accurate deliveries.
Please call us with your needs.




ondrives.us

1-888-260-7466
516-771-6444

sales@ondrivesus.com
www.ondrivesus.com

24 Pitch Precision Spur Gears - Flat

Aluminum, Stainless Steel, Delrin, AGMA Quality 10, 20° Pressure Angle



Part Number			No. of Teeth	Pitch Dia. PD	Outside Dia. OD
Aluminum 0.3748 Bore 0.250 Face	Stainless Steel 0.3748 Bore 0.250 Face	Delrin 0.3748 Bore 0.187 Face			
SG24F6A-15	SG24F6S-15	SG24F5D-15	15	0.6250	0.708
SG24F6A-16	SG24F6S-16	SG24F5D-16	16	0.6667	0.750
SG24F6A-18	SG24F6S-18	SG24F5D-18	18	0.7500	0.833
SG24F6A-20	SG24F6S-20	SG24F5D-20	20	0.8333	0.917
SG24F6A-21	SG24F6S-21	SG24F5D-21	21	0.8750	0.958
SG24F6A-22	SG24F6S-22	SG24F5D-22	22	0.9167	1.000
SG24F6A-24	SG24F6S-24	SG24F5D-24	24	1.0000	1.083
SG24F6A-25	SG24F6S-25	SG24F5D-25	25	1.0417	1.125
SG24F6A-30	SG24F6S-30	SG24F5D-30	30	1.2500	1.333
SG24F6A-32	SG24F6S-32	SG24F5D-32	32	1.3333	1.417
SG24F6A-35	SG24F6S-35	SG24F5D-35	35	1.4583	1.542
SG24F6A-36	SG24F6S-36	SG24F5D-36	36	1.5000	1.583
SG24F6A-40	SG24F6S-40	SG24F5D-40	40	1.6667	1.750
SG24F6A-45	SG24F6S-45	SG24F5D-45	45	1.8750	1.958
SG24F6A-48	SG24F6S-48	SG24F5D-48	48	2.0000	2.083
SG24F6A-50	SG24F6S-50	SG24F5D-50	50	2.0833	2.167
SG24F6A-55	SG24F6S-55	SG24F5D-55	55	2.2917	2.375
SG24F6A-60	SG24F6S-60	SG24F5D-60	60	2.5000	2.583
SG24F6A-65	SG24F6S-65	SG24F5D-65	65	2.7083	2.792
SG24F6A-70	SG24F6S-70	SG24F5D-70	70	2.9167	3.000
SG24F6A-72	SG24F6S-72	SG24F5D-72	72	3.0000	3.083
SG24F6A-75	SG24F6S-75	SG24F5D-75	75	3.1250	3.208
SG24F6A-80	SG24F6S-80	SG24F5D-80	80	3.3333	3.417
SG24F6A-84	SG24F6S-84	SG24F5D-84	84	3.5000	3.583
SG24F6A-85	SG24F6S-85	SG24F5D-85	85	3.5417	3.625
SG24F6A-90	SG24F6S-90	SG24F5D-90	90	3.7500	3.833
SG24F6A-96	SG24F6S-96	---	96	4.0000	4.083

Materials:

303 Stainless Steel

On Request:

14-1/2° Pressure Angle - additional number of teeth.

Customized or custom versions can be produced with accurate deliveries.
Please call us with your needs.


SGP-XD
32 Pitch

Gears

SGP-XD
32 Pitch

32 Pitch Precision Spur Gears - Set Screw Hub

Delrin with 303 Stainless Hub, AGMA Quality 10, 20° Pressure Angle



Part Number		No. of Teeth	Pitch Dia. PD	Outside Dia. OD
Delrin Gear with 303 Stainless Hub				
0.1873 Bore 3/16" Face 1/2" HD 7/16" OAL #6-32 Screw	0.2498 Bore 3/16" Face 1/2" HD 7/16" OAL #6-32 Screw			
SG32P21XD-20	SG32P28XD-20	20	0.6250	0.688
SG32P21XD-22	SG32P28XD-22	22	0.6875	0.750
SG32P21XD-24	SG32P28XD-24	24	0.7500	0.813
SG32P21XD-25	SG32P28XD-25	25	0.7813	0.844
SG32P21XD-26	SG32P28XD-26	26	0.8125	0.875
SG32P21XD-28	SG32P28XD-28	28	0.8750	0.938
SG32P21XD-30	SG32P28XD-30	30	0.9375	1.000
SG32P21XD-32	SG32P28XD-32	32	1.0000	1.063
SG32P21XD-35	SG32P28XD-35	35	1.0938	1.156
SG32P21XD-36	SG32P28XD-36	36	1.1250	1.188
SG32P21XD-40	SG32P28XD-40	40	1.2500	1.313
SG32P21XD-42	SG32P28XD-42	42	1.3125	1.375
SG32P21XD-44	SG32P28XD-44	44	1.3750	1.438
SG32P21XD-45	SG32P28XD-45	45	1.4062	1.469
SG32P21XD-50	SG32P28XD-50	50	1.5625	1.625
SG32P21XD-52	SG32P28XD-52	52	1.6250	1.688
SG32P21XD-56	SG32P28XD-56	56	1.7500	1.813
SG32P21XD-60	SG32P28XD-60	60	1.8750	1.938
SG32P21XD-64	SG32P28XD-64	64	2.0000	2.063
SG32P21XD-72	SG32P28XD-72	72	2.2500	2.313
SG32P21XD-80	SG32P28XD-80	80	2.5000	2.563
SG32P21XD-88	SG32P28XD-88	88	2.7500	2.813
SG32P21XD-96	SG32P28XD-96	96	3.0000	3.063
SG32P21XD-112	SG32P28XD-112	112	3.5000	3.563

Materials:

Aluminum - Anodized, 303 Stainless Steel

On Request:

14-1/2° Pressure Angle - additional number of teeth.

Customized or custom versions can be produced with accurate deliveries.
Please call us with your needs.




ondrives.us

1-888-260-7466
516-771-6444

sales@ondrivesus.com
www.ondrivesus.com

32 Pitch Precision Spur Gears - Flat

Aluminum, Stainless Steel, Delrin, AGMA Quality 10, 20° Pressure Angle



Part Number					No. of Teeth	Pitch Dia. PD	Outside Dia. OD
Aluminum		Stainless Steel		Delrin			
0.3748 Bore 0.125 Face	0.3748 Bore 0.250 Face	0.3748 Bore 0.125 Face	0.3748 Bore 0.250 Face	0.3748 Bore 0.187 Face			
SG32F3A-20	---	SG32F3S-20	---	SG32F5D-20	20	0.6250	0.688
SG32F3A-24	---	SG32F3S-24	---	SG32F5D-24	24	0.7500	0.813
SG32F3A-26	---	SG32F3S-26	---	SG32F5D-26	26	0.8125	0.875
SG32F3A-28	---	SG32F3S-28	---	SG32F5D-28	28	0.8750	0.938
SG32F3A-30	---	SG32F3S-30	---	SG32F5D-30	30	0.9375	1.000
SG32F3A-32	SG32F6A-32	SG32F3S-32	SG32F6S-32	SG32F5D-32	32	1.0000	1.063
SG32F3A-35	SG32F6A-35	SG32F3S-35	SG32F6S-35	SG32F5D-35	35	1.0938	1.156
SG32F3A-36	SG32F6A-36	SG32F3S-36	SG32F6S-36	SG32F5D-36	36	1.1250	1.188
SG32F3A-40	SG32F6A-40	SG32F3S-40	SG32F6S-40	SG32F5D-40	40	1.2500	1.313
SG32F3A-45	SG32F6A-45	SG32F3S-45	SG32F6S-45	SG32F5D-45	45	1.4063	1.469
SG32F3A-48	SG32F6A-48	SG32F3S-48	SG32F6S-48	SG32F5D-48	48	1.5000	1.563
SG32F3A-50	SG32F6A-50	SG32F3S-50	SG32F6S-50	SG32F5D-50	50	1.5625	1.625
SG32F3A-52	SG32F6A-52	SG32F3S-52	SG32F6S-52	SG32F5D-52	52	1.6250	1.688
SG32F3A-55	SG32F6A-55	SG32F3S-55	SG32F6S-55	SG32F5D-55	55	1.7188	1.781
SG32F3A-56	SG32F6A-56	SG32F3S-56	SG32F6S-56	SG32F5D-56	56	1.7500	1.813
SG32F3A-60	SG32F6A-60	SG32F3S-60	SG32F6S-60	SG32F5D-60	60	1.8750	1.938
SG32F3A-64	SG32F6A-64	SG32F3S-64	SG32F6S-64	SG32F5D-64	64	2.0000	2.063
SG32F3A-65	SG32F6A-65	SG32F3S-65	SG32F6S-65	SG32F5D-65	65	2.0313	2.094
SG32F3A-68	SG32F6A-68	SG32F3S-68	SG32F6S-68	SG32F5D-68	68	2.1250	2.188

Continued on next page

Materials:

Aluminum - Anodized, 303 Stainless Steel, Delrin

On Request:

14-1/2° Pressure Angle - additional number of teeth.

Customized or custom versions can be produced with accurate deliveries.
Please call us with your needs.


SGP-XD
48 Pitch

GEARS

SGP-XD
48 Pitch

48 Pitch Precision Spur Gears - Split Hub

Delrin Gear with Stainless Hub, AGMA Quality 10, 20° Pressure Angle



Part Number		No. of Teeth	Pitch Dia. PD	Outside Dia. OD
0.1873 Bore 0.188 Face 0.500 HD 0.438 OAL #6-32 Screw	0.2498 Bore 0.188 Face 0.500 HD 0.438 OAL #6-32 Screw			
SG48P21XD-28	SG48P28XD-28	28	0.5833	0.625
SG48P21XD-30	SG48P28XD-30	30	0.6250	0.667
SG48P21XD-32	SG48P28XD-32	32	0.6667	0.708
SG48P21XD-34	SG48P28XD-34	34	0.7083	0.750
SG48P21XD-35	SG48P28XD-35	35	0.7292	0.771
SG48P21XD-36	SG48P28XD-36	36	0.7500	0.792
SG48P21XD-40	SG48P28XD-40	40	0.8333	0.875
SG48P21XD-42	SG48P28XD-42	42	0.8750	0.917
SG48P21XD-45	SG48P28XD-45	45	0.9375	0.979
SG48P21XD-48	SG48P28XD-48	48	1.0000	1.042
SG48P21XD-50	SG48P28XD-50	50	1.0417	1.083
SG48P21XD-55	SG48P28XD-55	55	1.1458	1.188
SG48P21XD-60	SG48P28XD-60	60	1.2500	1.292
SG48P21XD-64	SG48P28XD-64	64	1.3333	1.375
SG48P21XD-72	SG48P28XD-72	72	1.5000	1.542
SG48P21XD-75	SG48P28XD-75	75	1.5625	1.604
SG48P21XD-80	SG48P28XD-80	80	1.6667	1.708
SG48P21XD-84	SG48P28XD-84	84	1.7500	1.792
SG48P21XD-96	SG48P28XD-96	96	2.0000	2.042
SG48P21XD-120	SG48P28XD-120	120	2.5000	2.542
SG48P21XD-132	SG48P28XD-132	132	2.7500	2.792
SG48P21XD-144	SG48P28XD-144	144	3.0000	3.042

Materials:

Delrin gear with 303 Stainless Steel hub.

On Request:

14-1/2° Pressure Angle - additional number of teeth.

Customized or custom versions can be produced with accurate deliveries.
Please call us with your needs.

ondrives.us

1-888-260-7466
516-771-6444

sales@ondrivesus.com
www.ondrivesus.com




SGF-A/S/D
48 Pitch

GEARS

SGF-A/S/D
48 Pitch

48 Pitch Precision Spur Gears - Flat

Aluminum, Stainless Steel, Delrin, AGMA Quality 10, 20° Pressure Angle



Part Number			No. of Teeth	Pitch Dia. PD	Outside Dia. OD
Aluminum 0.3748 Bore 0.125 Face	Stainless Steel 0.3748 Bore 0.125 Face	Delrin 0.3748 Bore 0.187 Face			
SG48F3A-65	SG48F3S-65	SG48F5D-65	65	1.3542	1.396
SG48F3A-66	SG48F3S-66	SG48F5D-66	66	1.3750	1.417
SG48F3A-68	SG48F3S-68	SG48F5D-68	68	1.4167	1.458
SG48F3A-70	SG48F3S-70	SG48F5D-70	70	1.4583	1.500
SG48F3A-72	SG48F3S-72	SG48F5D-72	72	1.5000	1.542
SG48F3A-74	SG48F3S-74	SG48F5D-74	74	1.5417	1.583
SG48F3A-75	SG48F3S-75	SG48F5D-75	75	1.5625	1.604
SG48F3A-76	SG48F3S-76	SG48F5D-76	76	1.5833	1.625
SG48F3A-78	SG48F3S-78	SG48F5D-78	78	1.6250	1.667
SG48F3A-80	SG48F3S-80	SG48F5D-80	80	1.6667	1.708
SG48F3A-84	SG48F3S-84	SG48F5D-84	84	1.7500	1.792
SG48F3A-85	SG48F3S-85	SG48F5D-85	85	1.7708	1.813
SG48F3A-90	SG48F3S-90	SG48F5D-90	90	1.8750	1.917
SG48F3A-95	SG48F3S-95	SG48F5D-95	95	1.9792	2.021
SG48F3A-96	SG48F3S-96	SG48F5D-96	96	2.0000	2.042
SG48F3A-100	SG48F3S-100	SG48F5D-100	100	2.0833	2.125
SG48F3A-105	SG48F3S-105	SG48F5D-105	105	2.1875	2.229
SG48F3A-108	SG48F3S-108	SG48F5D-108	108	2.2500	2.292
SG48F3A-110	SG48F3S-110	SG48F5D-110	110	2.2917	2.333
SG48F3A-120	SG48F3S-120	SG48F5D-120	120	2.5000	2.542
SG48F3A-132	SG48F3S-132	SG48F5D-132	132	2.7500	2.792
SG48F3A-144	SG48F3S-144	SG48F5D-144	144	3.0000	3.042
SG48F3A-156	SG48F3S-156	SG48F5D-156	156	3.2500	3.292
SG48F3A-168	SG48F3S-168	SG48F5D-168	168	3.5000	3.542
SG48F3A-192	SG48F3S-192	---	192	4.0000	4.042

Materials:

Aluminum - Anodized, 303 Stainless Steel, Delrin

On Request:

14-1/2° Pressure Angle - additional number of teeth.

Customized or custom versions can be produced with accurate deliveries.
Please call us with your needs.

ondrives.us

1-888-260-7466
516-771-6444

sales@ondrivesus.com
www.ondrivesus.com


SGP-XD
64 Pitch

GEARS

SGP-XD
64 Pitch

64 Pitch Precision Spur Gears - Split Hub

Delrin Gear with Stainless Hub, AGMA Quality 10, 20° Pressure Angle



Part Number		No. of Teeth	Pitch Dia. PD	Outside Dia. OD
0.1873 Bore 0.188 Face 0.500 HD 0.438 OAL #6-32 Screw	0.2498 Bore 0.188 Face 0.500 HD 0.438 OAL #6-32 Screw			
SG64P21XD-36	SG64P28XD-36	36	0.5625	0.594
SG64P21XD-40	SG64P28XD-40	40	0.6250	0.656
SG64P21XD-44	SG64P28XD-44	44	0.6875	0.719
SG64P21XD-45	SG64P28XD-45	45	0.7031	0.734
SG64P21XD-48	SG64P28XD-48	48	0.7500	0.781
SG64P21XD-56	SG64P28XD-56	56	0.8750	0.906
SG64P21XD-64	SG64P28XD-64	64	1.0000	1.031
SG64P21XD-72	SG64P28XD-72	72	1.1250	1.156
SG64P21XD-80	SG64P28XD-80	80	1.2500	1.281
SG64P21XD-88	SG64P28XD-88	88	1.3750	1.406
SG64P21XD-96	SG64P28XD-96	96	1.5000	1.531
SG64P21XD-112	SG64P28XD-112	112	1.7500	1.781
SG64P21XD-120	SG64P28XD-120	120	1.8750	1.906
SG64P21XD-128	SG64P28XD-128	128	2.0000	2.031
SG64P21XD-144	SG64P28XD-144	136	2.1250	2.156
SG64P21XD-160	SG64P28XD-160	144	2.2500	2.281

Materials:

Delrin gear with 303 Stainless Steel hub.

On Request:

14-1/2° Pressure Angle - additional number of teeth.

Customized or custom versions can be produced with accurate deliveries.
Please call us with your needs.




ondrives.us

1-888-260-7466
516-771-6444

sales@ondrivesus.com
www.ondrivesus.com

64 Pitch Precision Spur Gears - Flat

Aluminum, Stainless Steel, Delrin, AGMA Quality 10, 20° Pressure Angle



Part Number			No. of Teeth	Pitch Dia. PD	Outside Dia. OD
Aluminum 0.3748 Bore 0.125 Face	Stainless Steel 0.3748 Bore 0.125 Face	Delrin 0.3748 Bore 0.187 Face			
SG64F3A-38	SG64F3S-38	SG64F5D-38	38	0.5938	0.625
SG64F3A-40	SG64F3S-40	SG64F5D-40	40	0.6250	0.656
SG64F3A-42	SG64F3S-42	SG64F5D-42	42	0.6563	0.688
SG64F3A-44	SG64F3S-44	SG64F5D-44	44	0.6875	0.719
SG64F3A-45	SG64F3S-45	SG64F5D-45	45	0.7031	0.734
SG64F3A-46	SG64F3S-46	SG64F5D-46	46	0.7188	0.750
SG64F3A-48	SG64F3S-48	SG64F5D-48	48	0.7500	0.781
SG64F3A-50	SG64F3S-50	SG64F5D-50	50	0.7813	0.813
SG64F3A-52	SG64F3S-52	SG64F5D-52	52	0.8125	0.844
SG64F3A-54	SG64F3S-54	SG64F5D-54	54	0.8438	0.875
SG64F3A-55	SG64F3S-55	SG64F5D-55	55	0.8594	0.891
SG64F3A-56	SG64F3S-56	SG64F5D-56	56	0.8750	0.906
SG64F3A-58	SG64F3S-58	SG64F5D-58	58	0.9063	0.938
SG64F3A-60	SG64F3S-60	SG64F5D-60	60	0.9375	0.969
SG64F3A-62	SG64F3S-62	SG64F5D-62	62	0.9688	1.000
SG64F3A-64	SG64F3S-64	SG64F5D-64	64	1.0000	1.031
SG64F3A-65	SG64F3S-65	SG64F5D-65	65	1.0156	1.047
SG64F3A-66	SG64F3S-66	SG64F5D-66	66	1.0313	1.063
SG64F3A-68	SG64F3S-68	SG64F5D-68	68	1.0625	1.094

Continued on next page

Materials:

Aluminum - Anodized, 303 Stainless Steel, Delrin

On Request:

14-1/2° Pressure Angle - additional number of teeth.

Customized or custom versions can be produced with accurate deliveries.
Please call us with your needs.




SGF-A/S/D
64 Pitch

GEARS

SGF-A/S/D
64 Pitch

64 Pitch Precision Spur Gears - Flat

Aluminum, Stainless Steel, Delrin, AGMA Quality 10, 20° Pressure Angle



Part Number			No. of Teeth	Pitch Dia. PD	Outside Dia. OD
Aluminum 0.3748 Bore 0.125 Face	Stainless Steel 0.3748 Bore 0.125 Face	Delrin 0.3748 Bore 0.187 Face			
SG64F3A-70	SG64F3S-70	SG64F5D-70	70	1.0938	1.125
SG64F3A-72	SG64F3S-72	SG64F5D-72	72	1.1250	1.156
SG64F3A-75	SG64F3S-75	SG64F5D-75	75	1.1719	1.203
SG64F3A-80	SG64F3S-80	SG64F5D-80	80	1.2500	1.281
SG64F3A-85	SG64F3S-85	SG64F5D-85	85	1.3281	1.359
SG64F3A-88	SG64F3S-88	SG64F5D-88	88	1.3750	1.406
SG64F3A-90	SG64F3S-90	SG64F5D-90	90	1.4063	1.438
SG64F3A-95	SG64F3S-95	SG64F5D-95	95	1.4844	1.516
SG64F3A-96	SG64F3S-96	SG64F5D-96	96	1.5000	1.531
SG64F3A-100	SG64F3S-100	SG64F5D-100	100	1.5625	1.594
SG64F3A-104	SG64F3S-104	SG64F5D-104	104	1.6250	1.656
SG64F3A-105	SG64F3S-105	SG64F5D-105	105	1.6406	1.672
SG64F3A-112	SG64F3S-112	SG64F5D-112	112	1.7500	1.781
SG64F3A-120	SG64F3S-120	SG64F5D-120	120	1.8750	1.906
SG64F3A-128	SG64F3S-128	SG64F5D-128	128	2.0000	2.031
SG64F3A-136	SG64F3S-136	SG64F5D-136	136	2.1250	2.156
SG64F3A-144	SG64F3S-144	SG64F5D-144	144	2.2500	2.281
SG64F3A-160	SG64F3S-160	SG64F5D-160	160	2.5000	2.531
SG64F3A-176	SG64F3S-176	SG64F5D-176	176	2.7500	2.781
SG64F3A-192	SG64F3S-192	SG64F5D-192	192	3.0000	3.031

Materials:

Aluminum - Anodized, 303 Stainless Steel, Delrin

On Request:

14-1/2° Pressure Angle - additional number of teeth.

Customized or custom versions can be produced with accurate deliveries.
Please call us with your needs.

ondrives.us

☎ 1-888-260-7466
📠 516-771-6444

💻 sales@ondrivesus.com
🌐 www.ondrivesus.com


SGP-XD
72 Pitch

GEARS

SGP-XD
72 Pitch

72 Pitch Precision Spur Gears - Split Hub

Delrin Gear with Stainless Hub, AGMA Quality 10, 20° Pressure Angle



Part Number		No. of Teeth	Pitch Dia. PD	Outside Dia. OD
0.1873 Bore 0.188 Face 0.500 HD 0.438 OAL #6-32 Screw	0.2498 Bore 0.188 Face 0.500 HD 0.438 OAL #6-32 Screw			
SG72P21XD-45	SG72P28XD-45	45	0.6250	0.653
SG72P21XD-54	SG72P28XD-54	54	0.7500	0.778
SG72P21XD-60	SG72P28XD-60	60	0.8333	0.861
SG72P21XD-72	SG72P28XD-72	72	1.0000	1.028
SG72P21XD-90	SG72P28XD-90	90	1.2500	1.278
SG72P21XD-117	SG72P28XD-117	117	1.6250	1.653
SG72P21XD-144	SG72P28XD-144	144	2.0000	2.028
SG72P21XD-153	SG72P28XD-153	153	2.1250	2.153

Materials:

Delrin gear with 303 Stainless Steel hub.

On Request:

14-1/2° Pressure Angle - additional number of teeth.

Customized or custom versions can be produced with accurate deliveries.
Please call us with your needs.

ondrives.us

1-888-260-7466
516-771-6444

sales@ondrivesus.com
www.ondrivesus.com




SGF-A/S/D
72 Pitch

GEARS

SGF-A/S/D
72 Pitch

72 Pitch Precision Spur Gears - Flat

Aluminum, Stainless Steel, Delrin, AGMA Quality 10, 20° Pressure Angle



Part Number			No. of Teeth	Pitch Dia. PD	Outside Dia. OD
Aluminum 0.3748 Bore 0.125 Face	Stainless Steel 0.3748 Bore 0.125 Face	Delrin 0.3748 Bore 0.187 Face			
SG72F3A-45	SG72F3S-45	SG72F5D-45	45	0.6250	0.653
SG72F3A-48	SG72F3S-48	SG72F5D-48	48	0.6667	0.694
SG72F3A-50	SG72F3S-50	SG72F5D-50	50	0.6944	0.722
SG72F3A-54	SG72F3S-54	SG72F5D-54	54	0.7500	0.778
SG72F3A-55	SG72F3S-55	SG72F5D-55	55	0.7639	0.792
SG72F3A-60	SG72F3S-60	SG72F5D-60	60	0.8333	0.861
SG72F3A-64	SG72F3S-64	SG72F5D-64	64	0.8889	0.917
SG72F3A-65	SG72F3S-65	SG72F5D-65	65	0.9028	0.931
SG72F3A-70	SG72F3S-70	SG72F5D-70	70	0.9722	1.000
SG72F3A-72	SG72F3S-72	SG72F5D-72	72	1.0000	1.028
SG72F3A-75	SG72F3S-75	SG72F5D-75	75	1.0417	1.069
SG72F3A-80	SG72F3S-80	SG72F5D-80	80	1.1111	1.139
SG72F3A-84	SG72F3S-84	SG72F5D-84	84	1.1667	1.194
SG72F3A-85	SG72F3S-85	SG72F5D-85	85	1.1806	1.208
SG72F3A-90	SG72F3S-90	SG72F5D-90	90	1.2500	1.278
SG72F3A-92	SG72F3S-92	SG72F5D-92	92	1.2778	1.306
SG72F3A-95	SG72F3S-95	SG72F5D-95	95	1.3194	1.347
SG72F3A-96	SG72F3S-96	SG72F5D-96	96	1.3333	1.361
SG72F3A-100	SG72F3S-100	SG72F5D-100	100	1.3889	1.417
SG72F3A-110	SG72F3S-110	SG72F5D-110	110	1.5278	1.556
SG72F3A-117	SG72F3S-117	---	117	1.6250	1.653
SG72F3A-120	SG72F3S-120	SG72F5D-120	120	1.6667	1.694
SG72F3A-130	SG72F3S-130	SG72F5D-130	130	1.8056	1.833
SG72F3A-140	SG72F3S-140	SG72F5D-140	140	1.9444	1.972
SG72F3A-144	SG72F3S-144	SG72F5D-144	144	2.0000	2.028
SG72F3A-150	SG72F3S-150	SG72F5D-150	150	2.0833	2.111
SG72F3A-160	SG72F3S-160	SG72F5D-160	160	2.2222	2.250
SG72F3A-180	SG72F3S-180	SG72F5D-180	180	2.5000	2.528
SG72F3A-192	SG72F3S-192	SG72F5D-192	192	2.6667	2.694
SG72F3A-200	SG72F3S-200	SG72F5D-200	200	2.7778	2.806
SG72F3A-216	SG72F3S-216	SG72F5D-216	216	3.0000	3.028
SG72F3A-288	SG72F3S-288	SG72F5D-288	288	4.0000	4.028

Materials:

Aluminum - Anodized, 303 Stainless Steel, Delrin

On Request:

14-1/2° Pressure Angle - additional number of teeth.

Customized or custom versions can be produced with accurate deliveries.
Please call us with your needs.

ondrives.us

1-888-260-7466
516-771-6444

sales@ondrivesus.com
www.ondrivesus.com


SGP-XD
80 Pitch

GEARS

SGP-XD
80 Pitch

80 Pitch Precision Spur Gears - Split Hub

Delrin Gear with Stainless Hub, AGMA Quality 10, 20° Pressure Angle



Part Number		No. of Teeth	Pitch Dia. PD	Outside Dia. OD
0.1873 Bore 0.188 Face 0.500 HD 0.438 OAL #6-32 Screw	0.2498 Bore 0.188 Face 0.500 HD 0.438 OAL #6-32 Screw			
SG80P21XD-60	SG80P28XD-60	60	0.7500	0.775
SG80P21XD-64	SG80P28XD-64	64	0.8000	0.825
SG80P21XD-65	SG80P28XD-65	65	0.8125	0.838
SG80P21XD-70	SG80P28XD-70	70	0.8750	0.900
SG80P21XD-72	SG80P28XD-72	72	0.9000	0.925
SG80P21XD-75	SG80P28XD-75	75	0.9375	0.963
SG80P21XD-80	SG80P28XD-80	80	1.0000	1.025
SG80P21XD-88	SG80P28XD-88	88	1.1000	1.125
SG80P21XD-90	SG80P28XD-90	90	1.1250	1.150
SG80P21XD-96	SG80P28XD-96	96	1.2000	1.225
SG80P21XD-100	SG80P28XD-100	100	1.2500	1.275
SG80P21XD-110	SG80P28XD-110	110	1.3750	1.400
SG80P21XD-120	SG80P28XD-120	120	1.5000	1.525
SG80P21XD-130	SG80P28XD-130	130	1.6250	1.650
SG80P21XD-140	SG80P28XD-140	140	1.7500	1.775
SG80P21XD-150	SG80P28XD-150	150	1.8750	1.900
SG80P21XD-160	SG80P28XD-160	160	2.0000	2.025
SG80P21XD-180	SG80P28XD-180	180	2.2500	2.275
SG80P21XD-200	SG80P28XD-200	200	2.5000	2.525
SG80P21XD-240	SG80P28XD-240	240	3.0000	3.025

Materials:

Delrin gear with 303 Stainless Steel hub.

On Request:

14-1/2° Pressure Angle - additional number of teeth.

Customized or custom versions can be produced with accurate deliveries.
Please call us with your needs.

ondrives.us

1-888-260-7466
516-771-6444

sales@ondrivesus.com
www.ondrivesus.com




SGF-A/S/D
80 Pitch

GEARS

SGF-A/S/D
80 Pitch

80 Pitch Precision Spur Gears - Flat

Aluminum, Stainless Steel, Delrin, AGMA Quality 10, 20° Pressure Angle



Part Number			No. of Teeth	Pitch Dia. PD	Outside Dia. OD
Aluminum 0.3748 Bore 0.125 Face	Stainless Steel 0.3748 Bore 0.125 Face	Delrin 0.3748 Bore 0.187 Face			
SG80F3A-60	SG80F3S-60	SG80F5D-60	60	0.7500	0.775
SG80F3A-64	SG80F3S-64	SG80F5D-64	64	0.8000	0.825
SG80F3A-65	SG80F3S-65	SG80F5D-65	65	0.8125	0.838
SG80F3A-70	SG80F3S-70	SG80F5D-70	70	0.8750	0.900
SG80F3A-72	SG80F3S-72	SG80F5D-72	72	0.9000	0.925
SG80F3A-75	SG80F3S-75	SG80F5D-75	75	0.9375	0.963
SG80F3A-80	SG80F3S-80	SG80F5D-80	80	1.0000	1.025
SG80F3A-88	SG80F3S-88	SG80F5D-88	88	1.1000	1.125
SG80F3A-90	SG80F3S-90	SG80F5D-90	90	1.1250	1.150
SG80F3A-96	SG80F3S-96	SG80F5D-96	96	1.2000	1.225
SG80F3A-100	SG80F3S-100	SG80F5D-100	100	1.2500	1.275
SG80F3A-110	SG80F3S-110	SG80F5D-110	110	1.3750	1.400
SG80F3A-120	SG80F3S-120	SG80F5D-120	120	1.5000	1.525
SG80F3A-130	SG80F3S-130	SG80F5D-130	130	1.6250	1.650
SG80F3A-140	SG80F3S-140	SG80F5D-140	140	1.7500	1.775
SG80F3A-150	SG80F3S-150	SG80F5D-150	150	1.8750	1.900
SG80F3A-160	SG80F3S-160	SG80F5D-160	160	2.0000	2.025
SG80F3A-180	SG80F3S-180	SG80F5D-180	180	2.2500	2.275
SG80F3A-200	SG80F3S-200	SG80F5D-200	200	2.5000	2.525
SG80F3A-240	SG80F3S-240	SG80F5D-240	240	3.0000	3.025

Materials:

Aluminum - Anodized, 303 Stainless Steel, Delrin

On Request:

14-1/2° Pressure Angle - additional number of teeth.

Customized or custom versions can be produced with accurate deliveries.
Please call us with your needs.

ondrives.us

1-888-260-7466
516-771-6444

sales@ondrivesus.com
www.ondrivesus.com


SGP-XD
96 Pitch

GEARS

SGP-XD
96 Pitch

96 Pitch Precision Spur Gears - Split Hub

Delrin Gear with Stainless Hub, AGMA Quality 10, 20° Pressure Angle



Part Number		No. of Teeth	Pitch Dia. PD	Outside Dia. OD
0.1873 Bore 0.188 Face 0.500 HD 0.438 OAL #6-32 Screw	0.2498 Bore 0.188 Face 0.500 HD 0.438 OAL #6-32 Screw			
SG96P21XD-60	SG96P28XD-60	60	0.6250	0.646
SG96P21XD-64	SG96P28XD-64	64	0.6667	0.688
SG96P21XD-72	SG96P28XD-72	72	0.7500	0.771
SG96P21XD-84	SG96P28XD-84	84	0.8750	0.896
SG96P21XD-96	SG96P28XD-96	96	1.0000	1.021
SG96P21XD-104	SG96P28XD-104	104	1.0833	1.104
SG96P21XD-108	SG96P28XD-108	108	1.1250	1.146
SG96P21XD-110	SG96P28XD-110	110	1.1458	1.167
SG96P21XD-112	SG96P28XD-112	112	1.1667	1.188
SG96P21XD-116	SG96P28XD-116	116	1.2083	1.229
SG96P21XD-120	SG96P28XD-120	120	1.2500	1.271
SG96P21XD-128	SG96P28XD-128	128	1.3333	1.354
SG96P21XD-144	SG96P28XD-144	144	1.5000	1.521
SG96P21XD-156	SG96P28XD-156	156	1.6250	1.646
SG96P21XD-168	SG96P28XD-168	168	1.7500	1.771
SG96P21XD-180	SG96P28XD-180	180	1.8854	1.896
SG96P21XD-192	SG96P28XD-192	192	2.0000	2.021
SG80P21XD-180	SG80P28XD-180	180	2.2500	2.275
SG80P21XD-200	SG80P28XD-200	200	2.5000	2.525
SG80P21XD-240	SG80P28XD-240	240	3.0000	3.025

Materials:

Delrin gear with 303 Stainless Steel hub.

On Request:

14-1/2° Pressure Angle - additional number of teeth.

Customized or custom versions can be produced with accurate deliveries.
Please call us with your needs.

ondrives.us

1-888-260-7466
516-771-6444

sales@ondrivesus.com
www.ondrivesus.com




SGF-A/S/D
96 Pitch

GEARS

SGF-A/S/D
96 Pitch

96 Pitch Precision Spur Gears - Flat

Aluminum, Stainless Steel, Delrin, AGMA Quality 10, 20° Pressure Angle



Part Number			No. of Teeth	Pitch Dia. PD	Outside Dia. OD
Aluminum 0.3748 Bore 0.125 Face	Stainless Steel 0.3748 Bore 0.125 Face	Delrin 0.3748 Bore 0.187 Face			
SG96F3A-70	SG96F3S-70	SG96F5D-70	70	0.7292	0.750
SG96F3A-72	SG96F3S-72	SG96F5D-72	72	0.7500	0.771
SG96F3A-75	SG96F3S-75	SG96F5D-75	75	0.7813	0.802
SG96F3A-78	SG96F3S-78	SG96F5D-78	78	0.8125	0.833
SG96F3A-80	SG96F3S-80	SG96F5D-80	80	0.8333	0.854
SG96F3A-84	SG96F3S-84	SG96F5D-84	84	0.8750	0.896
SG96F3A-85	SG96F3S-85	SG96F5D-85	85	0.8854	0.906
SG96F3A-90	SG96F3S-90	SG96F5D-90	90	0.9375	0.958
SG96F3A-95	SG96F3S-95	SG96F5D-95	95	0.9896	1.010
SG96F3A-96	SG96F3S-96	SG96F5D-96	96	1.0000	1.021
SG96F3A-100	SG96F3S-100	SG96F5D-100	100	1.0417	1.063
SG96F3A-105	SG96F3S-105	SG96F5D-105	105	1.0938	1.115
SG96F3A-110	SG96F3S-110	SG96F5D-110	110	1.1458	1.167
SG96F3A-120	SG96F3S-120	SG96F5D-120	120	1.2500	1.271
SG96F3A-126	SG96F3S-126	SG96F5D-126	126	1.3125	1.333
SG96F3A-132	SG96F3S-132	SG96F5D-132	132	1.3750	1.396
SG96F3A-144	SG96F3S-144	SG96F5D-144	144	1.5000	1.521
SG96F3A-156	SG96F3S-156	SG96F5D-156	156	1.6250	1.646
SG96F3A-168	SG96F3S-168	SG96F5D-168	168	1.7500	1.771
SG96F3A-192	SG96F3S-192	SG96F5D-192	192	2.0000	2.021

Materials:

Aluminum - Anodized, 303 Stainless Steel, Delrin

On Request:

14-1/2° Pressure Angle - additional number of teeth.

Customized or custom versions can be produced with accurate deliveries.
Please call us with your needs.

ondrives.us

1-888-260-7466
516-771-6444

sales@ondrivesus.com
www.ondrivesus.com