



16 Pitch Precision Spur Gears - Set Screw Hub

303 Stainless Steel, AGMA Quality 10, 20° Pressure Angle



Part Number		No. of Teeth	Pitch Dia. PD	Outside Dia. OD
0.3748 Bore 0.500 Face 0.750 HD 1.000 OAL #10-24 Screw	0.4998 Bore 0.500 Face 1.000 HD 1.000 OAL #10-24 Screw			
SG16P36S-18	---	18	1.1250	1.250
SG16P36S-20	SG16P38S-20	20	1.2500	1.375
SG16P36S-22	SG16P38S-22	22	1.3750	1.500
SG16P36S-24	SG16P38S-24	24	1.5000	1.625
SG16P36S-25	SG16P38S-25	25	1.5625	1.688
SG16P36S-26	SG16P38S-26	26	1.6250	1.750
SG16P36S-28	SG16P38S-28	28	1.7500	1.875
SG16P36S-30	SG16P38S-30	30	1.8750	2.000
SG16P36S-32	SG16P38S-32	32	2.0000	2.125
SG16P36S-34	SG16P38S-34	34	2.1250	2.250
SG16P36S-35	SG16P38S-35	35	2.1875	2.313
SG16P36S-36	SG16P38S-36	36	2.2500	2.375
SG16P36S-38	SG16P38S-38	38	2.3750	2.500
SG16P36S-40	SG16P38S-40	40	2.5000	2.625
SG16P36S-42	SG16P38S-42	42	2.6250	2.750
SG16P36S-44	SG16P38S-44	44	2.7500	2.875
SG16P36S-45	SG16P38S-45	45	2.8125	2.938
SG16P36S-46	SG16P38S-46	46	2.8750	3.000
SG16P36S-48	SG16P38S-48	48	3.0000	3.125
SG16P36S-50	SG16P38S-50	50	3.1250	3.250
SG16P36S-55	SG16P38S-55	55	3.4375	3.563
SG16P36S-56	SG16P38S-56	56	3.5000	3.625
SG16P36S-60	SG16P38S-60	60	3.7500	3.875
SG16P36S-64	SG16P38S-64	64	4.0000	4.125
SG16P36S-65	SG16P38S-65	65	4.0625	4.188

Materials:

303 Stainless Steel

On Request:

14-1/2° Pressure Angle - additional number of teeth.

Customized or custom versions can be produced with accurate deliveries.
Please call us with your needs.




SGF-S
16 Pitch

GEARS

SGF-S
16 Pitch

16 Pitch Precision Spur Gears - Flat

303 Stainless Steel, AGMA Quality 10, 20° Pressure Angle



Part Number	No. of Teeth	Pitch Dia. PD	Outside Dia. OD
0.6871 Bore 0.375 Face			
SG16F20S-18	18	1.1250	1.250
SG16F20S-20	20	1.2500	1.375
SG16F20S-22	22	1.3750	1.500
SG16F20S-24	24	1.5000	1.625
SG16F20S-25	25	1.5625	1.688
SG16F20S-26	26	1.6250	1.750
SG16F20S-28	28	1.7500	1.875
SG16F20S-30	30	1.8750	2.000
SG16F20S-32	32	2.0000	2.125
SG16F20S-34	34	2.1250	2.250
SG16F20S-35	35	2.1875	2.313
SG16F20S-36	36	2.2500	2.375
SG16F20S-38	38	2.3750	2.500
SG16F20S-40	40	2.5000	2.625
SG16F20S-42	42	2.6250	2.750
SG16F20S-44	44	2.7500	2.875
SG16F20S-45	45	2.8125	2.938
SG16F20S-46	46	2.8750	3.000
SG16F20S-48	48	3.0000	3.125
SG16F20S-50	50	3.1250	3.250
SG16F20S-55	55	3.4375	3.563
SG16F20S-56	56	3.5000	3.625
SG16F20S-60	60	3.7500	3.875
SG16F20S-64	64	4.0000	4.125
SG16F20S-65	65	4.0625	4.188

Materials:

303 Stainless Steel

On Request:

14-1/2° Pressure Angle - additional number of teeth.

Customized or custom versions can be produced with accurate deliveries.
Please call us with your needs.

ondrives.us

1-888-260-7466
516-771-6444

sales@ondrivesus.com
www.ondrivesus.com




SGC-S
16 Pitch

GEARS

SGC-S
16 Pitch

16 Pitch Precision Spur Gears - Split Hub

303 Stainless Steel, AGMA Quality 10, 20° Pressure Angle



Part Number		No. of Teeth	Pitch Dia. PD	Outside Dia. OD
0.3748 Bore 0.250 Face 0.437 HD 0.625 OAL SH1-3625.4375 Clamp	0.4998 Bore 0.375 Face 0.562 HD 0.750 OAL SH1-4032.5625 Clamp			
SG16C25S-16	SG16C29S-16	16	1.0000	1.125
SG16C25S-18	SG16C29S-18	18	1.1250	1.250
SG16C25S-20	SG16C29S-20	20	1.2500	1.375
SG16C25S-24	SG16C29S-24	24	1.5000	1.625
SG16C25S-32	SG16C29S-32	32	2.0000	2.125
SG16C25S-40	SG16C29S-40	40	2.5000	2.625
SG16C25S-48	SG16C29S-48	48	3.0000	3.125

Materials:

303 Stainless Steel

On Request:

14-1/2° Pressure Angle - additional number of teeth.

Customized or custom versions can be produced with accurate deliveries.
Please call us with your needs.

ondrives.us

1-888-260-7466
516-771-6444

sales@ondrivesus.com
www.ondrivesus.com