



72 Pitch Precision Spur Gears - Set Screw Hub

Aluminum - Anodized, AGMA Quality 10, 20° Pressure Angle



Part Number					No. of Teeth	Pitch Dia. PD	Outside Dia. OD
0.1248 Bore 0.125 Face 0.313 HD 0.313 OAL #2-56 Screw	0.1873 Bore 0.125 Face 0.375 HD 0.344 OAL #4-40 Screw	0.1873 Bore 0.188 Face 0.375 HD 0.406 OAL #4-40 Screw	0.2498 Bore 0.125 Face 0.500 HD 0.375 OAL #6-32 Screw	0.2498 Bore 0.188 Face 0.500 HD 0.438 OAL #6-32 Screw			
SG72P10A-20 ▲	---	---	---	---	20	0.2778	0.306
SG72P10A-22 ▲	SG72P19A-22 ▲	---	---	---	22	0.3056	0.333
SG72P10A-23 ▲	SG72P19A-23 ▲	---	---	---	23	0.3194	0.347
SG72P10A-24	SG72P19A-24 ▲	SG72P21A-24 ▲	---	---	24	0.3333	0.361
SG72P10A-25	SG72P19A-25 ▲	SG72P21A-25 ▲	---	---	25	0.3472	0.375
SG72P10A-26	SG72P19A-26 ▲	SG72P21A-26 ▲	---	---	26	0.3611	0.389
SG72P10A-27	SG72P19A-27 ▲	SG72P21A-27 ▲	---	---	27	0.3750	0.403
SG72P10A-28	SG72P19A-28 ▲	SG72P21A-28 ▲	---	---	28	0.3889	0.417
SG72P10A-29	SG72P19A-29	SG72P21A-29	---	---	29	0.4028	0.431
SG72P10A-30	SG72P19A-30	SG72P21A-30	SG72P26A-30 ▲	SG72P28A-30 ▲	30	0.4167	0.444
SG72P10A-32	SG72P19A-32	SG72P21A-32	SG72P26A-32 ▲	SG72P28A-32 ▲	32	0.4444	0.472
SG72P10A-34	SG72P19A-34	SG72P21A-34	SG72P26A-34 ▲	SG72P28A-34 ▲	34	0.4722	0.500
SG72P10A-35	SG72P19A-35	SG72P21A-35	SG72P26A-35 ▲	SG72P28A-35 ▲	35	0.4861	0.514
SG72P10A-36	SG72P19A-36	SG72P21A-36	SG72P26A-36 ▲	SG72P28A-36 ▲	36	0.5000	0.528
SG72P10A-38	SG72P19A-38	SG72P21A-38	SG72P26A-38	SG72P28A-38	38	0.5278	0.556
SG72P10A-40	SG72P19A-40	SG72P21A-40	SG72P26A-40	SG72P28A-40	40	0.5556	0.583
SG72P10A-42	SG72P19A-42	SG72P21A-42	SG72P26A-42	SG72P28A-42	42	0.5833	0.611
SG72P10A-44	SG72P19A-44	SG72P21A-44	SG72P26A-44	SG72P28A-44	44	0.6111	0.639
SG72P10A-45	SG72P19A-45	SG72P21A-45	SG72P26A-45	SG72P28A-45	45	0.6250	0.653
SG72P10A-46	SG72P19A-46	SG72P21A-46	SG72P26A-46	SG72P28A-46	46	0.6389	0.667
SG72P10A-48	SG72P19A-48	SG72P21A-48	SG72P26A-48	SG72P28A-48	48	0.6667	0.694
SG72P10A-50	SG72P19A-50	SG72P21A-50	SG72P26A-50	SG72P28A-50	50	0.6944	0.722
SG72P10A-54	SG72P19A-54	SG72P21A-54	SG72P26A-54	SG72P28A-54	54	0.7500	0.778
SG72P10A-55	SG72P19A-55	SG72P21A-55	SG72P26A-55	SG72P28A-55	55	0.7639	0.792
SG72P10A-56	SG72P19A-56	SG72P21A-56	SG72P26A-56	SG72P28A-56	56	0.7778	0.806

▲ Teeth cut into hub. Hub diameter may equal O.D.

Continued on next page

Materials:

Aluminum - anodized



On Request:

14-1/2° Pressure Angle - additional number of teeth.

Customized or custom versions can be produced with accurate deliveries.
Please call us with your needs.

72 Pitch Precision Spur Gears - Set Screw Hub

Aluminum - Anodized, AGMA Quality 10, 20° Pressure Angle



Part Number					No. of Teeth	Pitch Dia. PD	Outside Dia. OD
0.1248 Bore 0.125 Face 0.313 HD 0.313 OAL #2-56 Screw	0.1873 Bore 0.125 Face 0.375 HD 0.344 OAL #4-40 Screw	0.1873 Bore 0.188 Face 0.375 HD 0.406 OAL #4-40 Screw	0.2498 Bore 0.125 Face 0.500 HD 0.375 OAL #6-32 Screw	0.2498 Bore 0.188 Face 0.500 HD 0.438 OAL #6-32 Screw			
SG72P10A-60	SG72P19A-60	SG72P21A-60	SG72P26A-60	SG72P28A-60	60	0.8333	0.861
SG72P10A-64	SG72P19A-64	SG72P21A-64	SG72P26A-64	SG72P28A-64	64	0.8889	0.917
SG72P10A-65	SG72P19A-65	SG72P21A-65	SG72P26A-65	SG72P28A-65	65	0.9028	0.931
SG72P10A-70	SG72P19A-70	SG72P21A-70	SG72P26A-70	SG72P28A-70	70	0.9722	1.000
SG72P10A-72	SG72P19A-72	SG72P21A-72	SG72P26A-72	SG72P28A-72	72	1.0000	1.028
SG72P10A-75	SG72P19A-75	SG72P21A-75	SG72P26A-75	SG72P28A-75	75	1.0417	1.069
SG72P10A-80	SG72P19A-80	SG72P21A-80	SG72P26A-80	SG72P28A-80	80	1.1111	1.139
SG72P10A-84	SG72P19A-84	SG72P21A-84	SG72P26A-84	SG72P28A-84	84	1.1667	1.194
SG72P10A-85	SG72P19A-85	SG72P21A-85	SG72P26A-85	SG72P28A-85	85	1.1806	1.208
SG72P10A-90	SG72P19A-90	SG72P21A-90	SG72P26A-90	SG72P28A-90	90	1.2500	1.278
SG72P10A-92	SG72P19A-92	SG72P21A-92	SG72P26A-92	SG72P28A-92	92	1.2778	1.306
SG72P10A-95	SG72P19A-95	SG72P21A-95	SG72P26A-95	SG72P28A-95	95	1.3194	1.347
SG72P10A-96	SG72P19A-96	SG72P21A-96	SG72P26A-96	SG72P28A-96	96	1.3333	1.361
SG72P10A-100	SG72P19A-100	SG72P21A-100	SG72P26A-100	SG72P28A-100	100	1.3889	1.417
SG72P10A-110	SG72P19A-110	SG72P21A-110	SG72P26A-110	SG72P28A-110	110	1.5278	1.556
SG72P10A-117	SG72P19A-117	SG72P21A-117	SG72P26A-117	SG72P28A-117	117	1.6250	1.653
SG72P10A-120	SG72P19A-120	SG72P21A-120	SG72P26A-120	SG72P28A-120	120	1.6667	1.694
SG72P10A-130	SG72P19A-130	SG72P21A-130	SG72P26A-130	SG72P28A-130	130	1.8056	1.833
SG72P10A-140	SG72P19A-140	SG72P21A-140	SG72P26A-140	SG72P28A-140	140	1.9444	1.972
SG72P10A-144	SG72P19A-144	SG72P21A-144	SG72P26A-144	SG72P28A-144	144	2.0000	2.028
SG72P10A-150	SG72P19A-150	SG72P21A-150	SG72P26A-150	SG72P28A-150	150	2.0833	2.111
SG72P10A-151	SG72P19A-151	SG72P21A-151	SG72P26A-151	SG72P28A-151	151	2.0972	2.125
SG72P10A-152	SG72P19A-152	SG72P21A-152	SG72P26A-152	SG72P28A-152	152	2.1111	2.139
SG72P10A-153	SG72P19A-153	SG72P21A-153	SG72P26A-153	SG72P28A-153	153	2.1250	2.153

▲ Teeth cut into hub. Hub diameter may equal O.D.

Materials:

Aluminum - anodized



On Request:

14-1/2° Pressure Angle - additional number of teeth.

Customized or custom versions can be produced with accurate deliveries.
Please call us with your needs.

72 Pitch Precision Spur Gears - Set Screw Hub

303 Stainless Steel, AGMA Quality 10, 20° Pressure Angle



Part Number					No. of Teeth	Pitch Dia. PD	Outside Dia. OD
0.1248 Bore 0.125 Face 0.313 HD 0.313 OAL #2-56 Screw	0.1873 Bore 0.125 Face 0.375 HD 0.344 OAL #4-40 Screw	0.1873 Bore 0.188 Face 0.375 HD 0.406 OAL #4-40 Screw	0.2498 Bore 0.125 Face 0.500 HD 0.375 OAL #6-32 Screw	0.2498 Bore 0.188 Face 0.500 HD 0.438 OAL #6-32 Screw			
SG72P10S-20 ▲	---	---	---	---	20	0.2778	0.306
SG72P10S-22 ▲	SG72P19S-22 ▲	---	---	---	22	0.3056	0.333
SG72P10S-23 ▲	SG72P19S-23 ▲	---	---	---	23	0.3194	0.347
SG72P10S-24	SG72P19S-24 ▲	SG72P21S-24 ▲	---	---	24	0.3333	0.361
SG72P10S-25	SG72P19S-25 ▲	SG72P21S-25 ▲	---	---	25	0.3472	0.375
SG72P10S-26	SG72P19S-26 ▲	SG72P21S-26 ▲	---	---	26	0.3611	0.389
SG72P10S-27	SG72P19S-27 ▲	SG72P21S-27 ▲	---	---	27	0.3750	0.403
SG72P10S-28	SG72P19S-28 ▲	SG72P21S-28 ▲	---	---	28	0.3889	0.417
SG72P10S-29	SG72P19S-29	SG72P21S-29	---	---	29	0.4028	0.431
SG72P10S-30	SG72P19S-30	SG72P21S-30	SG72P26S-30 ▲	SG72P28S-30 ▲	30	0.4167	0.444
SG72P10S-32	SG72P19S-32	SG72P21S-32	SG72P26S-32 ▲	SG72P28S-32 ▲	32	0.4444	0.472
SG72P10S-34	SG72P19S-34	SG72P21S-34	SG72P26S-34 ▲	SG72P28S-34 ▲	34	0.4722	0.500
SG72P10S-35	SG72P19S-35	SG72P21S-35	SG72P26S-35 ▲	SG72P28S-35 ▲	35	0.4861	0.514
SG72P10S-36	SG72P19S-36	SG72P21S-36	SG72P26S-36 ▲	SG72P28S-36 ▲	36	0.5000	0.528
SG72P10S-38	SG72P19S-38	SG72P21S-38	SG72P26S-38	SG72P28S-38	38	0.5278	0.556
SG72P10S-40	SG72P19S-40	SG72P21S-40	SG72P26S-40	SG72P28S-40	40	0.5556	0.583
SG72P10S-42	SG72P19S-42	SG72P21S-42	SG72P26S-42	SG72P28S-42	42	0.5833	0.611
SG72P10S-44	SG72P19S-44	SG72P21S-44	SG72P26S-44	SG72P28S-44	44	0.6111	0.639
SG72P10S-45	SG72P19S-45	SG72P21S-45	SG72P26S-45	SG72P28S-45	45	0.6250	0.653
SG72P10S-46	SG72P19S-46	SG72P21S-46	SG72P26S-46	SG72P28S-46	46	0.6389	0.667
SG72P10S-48	SG72P19S-48	SG72P21S-48	SG72P26S-48	SG72P28S-48	48	0.6667	0.694
SG72P10S-50	SG72P19S-50	SG72P21S-50	SG72P26S-50	SG72P28S-50	50	0.6944	0.722
SG72P10S-54	SG72P19S-54	SG72P21S-54	SG72P26S-54	SG72P28S-54	54	0.7500	0.778
SG72P10S-55	SG72P19S-55	SG72P21S-55	SG72P26S-55	SG72P28S-55	55	0.7639	0.792
SG72P10S-56	SG72P19S-56	SG72P21S-56	SG72P26S-56	SG72P28S-56	56	0.7778	0.806

▲ Teeth cut into hub. Hub diameter may equal O.D.

Continued on next page

Materials:

303 Stainless Steel



On Request:

14-1/2° Pressure Angle - additional number of teeth.

Customized or custom versions can be produced with accurate deliveries.
Please call us with your needs.

72 Pitch Precision Spur Gears - Set Screw Hub

303 Stainless Steel, AGMA Quality 10, 20° Pressure Angle



Part Number					No. of Teeth	Pitch Dia. PD	Outside Dia. OD
0.1248 Bore 0.125 Face 0.313 HD 0.313 OAL #2-56 Screw	0.1873 Bore 0.125 Face 0.375 HD 0.344 OAL #4-40 Screw	0.1873 Bore 0.188 Face 0.375 HD 0.406 OAL #4-40 Screw	0.2498 Bore 0.125 Face 0.500 HD 0.375 OAL #6-32 Screw	0.2498 Bore 0.188 Face 0.500 HD 0.438 OAL #6-32 Screw			
SG72P10S-60	SG72P19S-60	SG72P21S-60	SG72P26S-60	SG72P28S-60	60	0.8333	0.861
SG72P10S-64	SG72P19S-64	SG72P21S-64	SG72P26S-64	SG72P28S-64	64	0.8889	0.917
SG72P10S-65	SG72P19S-65	SG72P21S-65	SG72P26S-65	SG72P28S-65	65	0.9028	0.931
SG72P10S-70	SG72P19S-70	SG72P21S-70	SG72P26S-70	SG72P28S-70	70	0.9722	1.000
SG72P10S-72	SG72P19S-72	SG72P21S-72	SG72P26S-72	SG72P28S-72	72	1.0000	1.028
SG72P10S-75	SG72P19S-75	SG72P21S-75	SG72P26S-75	SG72P28S-75	75	1.0417	1.069
SG72P10S-80	SG72P19S-80	SG72P21S-80	SG72P26S-80	SG72P28S-80	80	1.1111	1.139
SG72P10S-84	SG72P19S-84	SG72P21S-84	SG72P26S-84	SG72P28S-84	84	1.1667	1.194
SG72P10S-85	SG72P19S-85	SG72P21S-85	SG72P26S-85	SG72P28S-85	85	1.1806	1.208
SG72P10S-90	SG72P19S-90	SG72P21S-90	SG72P26S-90	SG72P28S-90	90	1.2500	1.278
SG72P10S-92	SG72P19S-92	SG72P21S-92	SG72P26S-92	SG72P28S-92	92	1.2778	1.306
SG72P10S-95	SG72P19S-95	SG72P21S-95	SG72P26S-95	SG72P28S-95	95	1.3194	1.347
SG72P10S-96	SG72P19S-96	SG72P21S-96	SG72P26S-96	SG72P28S-96	96	1.3333	1.361
SG72P10S-100	SG72P19S-100	SG72P21S-100	SG72P26S-100	SG72P28S-100	100	1.3889	1.417
SG72P10S-110	SG72P19S-110	SG72P21S-110	SG72P26S-110	SG72P28S-110	110	1.5278	1.556
SG72P10S-117	SG72P19S-117	SG72P21S-117	SG72P26S-117	SG72P28S-117	117	1.6250	1.653
SG72P10S-120	SG72P19S-120	SG72P21S-120	SG72P26S-120	SG72P28S-120	120	1.6667	1.694
SG72P10S-130	SG72P19S-130	SG72P21S-130	SG72P26S-130	SG72P28S-130	130	1.8056	1.833
SG72P10S-140	SG72P19S-140	SG72P21S-140	SG72P26S-140	SG72P28S-140	140	1.9444	1.972
SG72P10S-144	SG72P19S-144	SG72P21S-144	SG72P26S-144	SG72P28S-144	144	2.0000	2.028
SG72P10S-150	SG72P19S-150	SG72P21S-150	SG72P26S-150	SG72P28S-150	150	2.0833	2.111
SG72P10S-151	SG72P19S-151	SG72P21S-151	SG72P26S-151	SG72P28S-151	151	2.0972	2.125
SG72P10S-152	SG72P19S-152	SG72P21S-152	SG72P26S-152	SG72P28S-152	152	2.1111	2.139
SG72P10S-153	SG72P19S-153	SG72P21S-153	SG72P26S-153	SG72P28S-153	153	2.1250	2.153

▲ Teeth cut into hub. Hub diameter may equal O.D.

Materials:

303 Stainless Steel

On Request:

14-1/2° Pressure Angle - additional number of teeth.

Customized or custom versions can be produced with accurate deliveries.
Please call us with your needs.


SGP-XD
72 Pitch

GEARS

SGP-XD
72 Pitch

72 Pitch Precision Spur Gears - Split Hub

Delrin Gear with Stainless Hub, AGMA Quality 10, 20° Pressure Angle



Part Number		No. of Teeth	Pitch Dia. PD	Outside Dia. OD
0.1873 Bore 0.188 Face 0.500 HD 0.438 OAL #6-32 Screw	0.2498 Bore 0.188 Face 0.500 HD 0.438 OAL #6-32 Screw			
SG72P21XD-45	SG72P28XD-45	45	0.6250	0.653
SG72P21XD-54	SG72P28XD-54	54	0.7500	0.778
SG72P21XD-60	SG72P28XD-60	60	0.8333	0.861
SG72P21XD-72	SG72P28XD-72	72	1.0000	1.028
SG72P21XD-90	SG72P28XD-90	90	1.2500	1.278
SG72P21XD-117	SG72P28XD-117	117	1.6250	1.653
SG72P21XD-144	SG72P28XD-144	144	2.0000	2.028
SG72P21XD-153	SG72P28XD-153	153	2.1250	2.153

Materials:

Delrin gear with 303 Stainless Steel hub.

On Request:

14-1/2° Pressure Angle - additional number of teeth.

Customized or custom versions can be produced with accurate deliveries.
Please call us with your needs.




ondrives.us

1-888-260-7466
516-771-6444

sales@ondrivesus.com
www.ondrivesus.com

72 Pitch Precision Spur Gears - Flat

Aluminum, Stainless Steel, Delrin, AGMA Quality 10, 20° Pressure Angle



Part Number			No. of Teeth	Pitch Dia. PD	Outside Dia. OD
Aluminum	Stainless Steel	Delrin			
0.3748 Bore 0.125 Face	0.3748 Bore 0.125 Face	0.3748 Bore 0.187 Face			
SG72F3A-45	SG72F3S-45	SG72F5D-45	45	0.6250	0.653
SG72F3A-48	SG72F3S-48	SG72F5D-48	48	0.6667	0.694
SG72F3A-50	SG72F3S-50	SG72F5D-50	50	0.6944	0.722
SG72F3A-54	SG72F3S-54	SG72F5D-54	54	0.7500	0.778
SG72F3A-55	SG72F3S-55	SG72F5D-55	55	0.7639	0.792
SG72F3A-60	SG72F3S-60	SG72F5D-60	60	0.8333	0.861
SG72F3A-64	SG72F3S-64	SG72F5D-64	64	0.8889	0.917
SG72F3A-65	SG72F3S-65	SG72F5D-65	65	0.9028	0.931
SG72F3A-70	SG72F3S-70	SG72F5D-70	70	0.9722	1.000
SG72F3A-72	SG72F3S-72	SG72F5D-72	72	1.0000	1.028
SG72F3A-75	SG72F3S-75	SG72F5D-75	75	1.0417	1.069
SG72F3A-80	SG72F3S-80	SG72F5D-80	80	1.1111	1.139
SG72F3A-84	SG72F3S-84	SG72F5D-84	84	1.1667	1.194
SG72F3A-85	SG72F3S-85	SG72F5D-85	85	1.1806	1.208
SG72F3A-90	SG72F3S-90	SG72F5D-90	90	1.2500	1.278
SG72F3A-92	SG72F3S-92	SG72F5D-92	92	1.2778	1.306
SG72F3A-95	SG72F3S-95	SG72F5D-95	95	1.3194	1.347
SG72F3A-96	SG72F3S-96	SG72F5D-96	96	1.3333	1.361
SG72F3A-100	SG72F3S-100	SG72F5D-100	100	1.3889	1.417
SG72F3A-110	SG72F3S-110	SG72F5D-110	110	1.5278	1.556
SG72F3A-117	SG72F3S-117	---	117	1.6250	1.653
SG72F3A-120	SG72F3S-120	SG72F5D-120	120	1.6667	1.694
SG72F3A-130	SG72F3S-130	SG72F5D-130	130	1.8056	1.833
SG72F3A-140	SG72F3S-140	SG72F5D-140	140	1.9444	1.972
SG72F3A-144	SG72F3S-144	SG72F5D-144	144	2.0000	2.028
SG72F3A-150	SG72F3S-150	SG72F5D-150	150	2.0833	2.111
SG72F3A-160	SG72F3S-160	SG72F5D-160	160	2.2222	2.250
SG72F3A-180	SG72F3S-180	SG72F5D-180	180	2.5000	2.528
SG72F3A-192	SG72F3S-192	SG72F5D-192	192	2.6667	2.694
SG72F3A-200	SG72F3S-200	SG72F5D-200	200	2.7778	2.806
SG72F3A-216	SG72F3S-216	SG72F5D-216	216	3.0000	3.028
SG72F3A-288	SG72F3S-288	SG72F5D-288	288	4.0000	4.028

Materials:

Aluminum - Anodized, 303 Stainless Steel, Delrin



On Request:

14-1/2° Pressure Angle - additional number of teeth.

Customized or custom versions can be produced with accurate deliveries.
Please call us with your needs.

72 Pitch Precision Spur Gears - Split Hub

Aluminum, Stainless Steel, AGMA Quality 10, 20° Pressure Angle



Part Number						No. of Teeth	Pitch Dia. PD	Outside Dia. OD
Aluminum			Stainless Steel					
0.1248 Bore 0.125 Face 0.187 HD 0.406 OAL SH4-2624.188H Clamp	0.1873 Bore 0.125 Face 0.250 HD 0.406 OAL SH1-2825.250S Clamp	0.2498 Bore 0.125 Face 0.312 HD 0.406 OAL SH1-2825.313S Clamp	0.1248 Bore 0.125 Face 0.187 HD 0.406 OAL SH4-2624.188H Clamp	0.1873 Bore 0.125 Face 0.250 HD 0.406 OAL SH1-2825.250S Clamp	0.2498 Bore 0.125 Face 0.312 HD 0.406 OAL SH1-2825.313S Clamp			
SG72C7A-20	---	---	SG72C7S-20	---	---	20	0.2778	0.306
SG72C7A-22	---	---	SG72C7S-22	---	---	22	0.3056	0.333
SG72C7A-23	---	---	SG72C7S-23	---	---	23	0.3194	0.347
SG72C7A-25	---	---	SG72C7S-25	---	---	25	0.3472	0.375
SG72C7A-26	---	---	SG72C7S-26	---	---	26	0.3611	0.389
SG72C7A-27	---	---	SG72C7S-27	---	---	27	0.3750	0.403
SG72C7A-28	---	---	SG72C7S-28	---	---	28	0.3889	0.417
SG72C7A-30	SG72C14A-30	---	SG72C7S-30	SG72C14S-30	---	30	0.4167	0.444
SG72C7A-32	SG72C14A-32	---	SG72C7S-32	SG72C14S-32	---	32	0.4444	0.472
SG72C7A-34	SG72C14A-34	---	SG72C7S-34	SG72C14S-34	---	34	0.4722	0.500
SG72C7A-36	SG72C14A-36	---	SG72C7S-36	SG72C14S-36	---	36	0.5000	0.528
SG72C7A-38	SG72C14A-38	---	SG72C7S-38	SG72C14S-38	---	38	0.5278	0.556
SG72C7A-40	SG72C14A-40	---	SG72C7S-40	SG72C14S-40	---	40	0.5556	0.583
SG72C7A-42	SG72C14A-42	---	SG72C7S-42	SG72C14S-42	---	42	0.5833	0.611
SG72C7A-50	SG72C14A-50	SG72C18A-50	SG72C7S-50	SG72C14S-50	SG72C18S-50	50	0.6944	0.722
SG72C7A-56	SG72C14A-56	SG72C18A-56	SG72C7S-56	SG72C14S-56	SG72C18S-56	56	0.7778	0.806
SG72C7A-60	SG72C14A-60	SG72C18A-60	SG72C7S-60	SG72C14S-60	SG72C18S-60	60	0.8333	0.861
SG72C7A-64	SG72C14A-64	SG72C18A-64	SG72C7S-64	SG72C14S-64	SG72C18S-64	64	0.8889	0.917
SG72C7A-70	SG72C14A-70	SG72C18A-70	SG72C7S-70	SG72C14S-70	SG72C18S-70	70	0.9722	1.000
SG72C7A-72	SG72C14A-72	SG72C18A-72	SG72C7S-72	SG72C14S-72	SG72C18S-72	72	1.0000	1.028
SG72C7A-75	SG72C14A-75	SG72C18A-75	SG72C7S-75	SG72C14S-75	SG72C18S-75	75	1.0417	1.069
SG72C7A-80	SG72C14A-80	SG72C18A-80	SG72C7S-80	SG72C14S-80	SG72C18S-80	80	1.1111	1.139
SG72C7A-81	SG72C14A-81	SG72C18A-81	SG72C7S-81	SG72C14S-81	SG72C18S-81	81	1.1250	1.153
SG72C7A-85	SG72C14A-85	SG72C18A-85	SG72C7S-85	SG72C14S-85	SG72C18S-85	85	1.1806	1.208
SG72C7A-90	SG72C14A-90	SG72C18A-90	SG72C7S-90	SG72C14S-90	SG72C18S-90	90	1.2500	1.278
SG72C7A-96	SG72C14A-96	SG72C18A-96	SG72C7S-96	SG72C14S-96	SG72C18S-96	96	1.3333	1.361
---	SG72C14A-100	SG72C18A-100	---	SG72C14S-100	SG72C18S-100	100	1.3889	1.417
---	SG72C14A-108	SG72C18A-108	---	SG72C14S-108	SG72C18S-108	108	1.5000	1.528
---	SG72C14A-126	SG72C18A-126	---	SG72C14S-126	SG72C18S-126	126	1.7500	1.778
---	SG72C14A-144	SG72C18A-144	---	SG72C14S-144	SG72C18S-144	144	2.0000	2.028
---	SG72C14A-160	SG72C18A-160	---	SG72C14S-160	SG72C18S-160	160	2.2222	2.250

Materials:

Aluminum - Anodized, 303 Stainless Steel

On Request:

14-1/2° Pressure Angle - additional number of teeth.

Customized or custom versions can be produced with accurate deliveries.

Please call us with your needs.